



ATP



Insulated container for the transport of products of temperature-controlled products


- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- ATP Certificate
- Compatible with food contact
- Color: light blue
- Capacity: 500 liters.
- Technology: roto moulding
- Warranty: 24 months
- Fully recyclable at the end of its operational life.

MANUFACTURING MATERIALS




Polyethylene	inner and outer walls of container and door; suitable for food contact	Polyurethane	insulating material between the walls of the container and the door, free of CFC and HCFC
Silicone rubber	gasket	Nylon	wheels
Galvanized steel	wheel support, hinge rod	Stainless steel	handling handles, closing handle, inner door rod, GN adapters

Model	Code	EAN code	Ext. dim. (mm)	Int. dim. (mm)	Capacity (liters)	Weight (kg)
500 CATERING with wheels	05000086	8022949163426	715X850Xh1675	540x660xh1370	500	108

PRODUCT FEATURES

	<p>4 wheels diameter 100 mm (2 fixed and 2 swivel, one of which with brake). Wheel support plate integrated in the container.</p>		<p>Internal dimensions for GN 1/1, GN 2/1 pans & trays</p>
	<p>Stainless steel closing handle with release button.</p>		<p>Handle prepared for the use of tamper-evident system.</p>
	<p>Eutectic plates to increase thermal maintenance performance over time (on request).</p>		<p>Available (on request) towing set to move more than one container at the same time.</p>
	<p>Internal temperature controllable thanks to the thermometer that can be inserted into the door (on request).</p>		<p>Monobloc structure, without edges, joints and welds.</p>
	<p>Internal grooves for good air circulation.</p>		<p>Openable door up to 270° with latch - tab door.</p>
	<p>Door sealing gasket easily removable</p>		<p>Stainless steel rod with 2 hooks integrated inside the door.</p>

CONTAINER TECHNICAL DATA (mm)



GN 1/1 – GN 2/1 INTERNAL CAPACITY


H65




H100



H150



H200



ACCESSORIES

Model	Code	Color	Ext. Dim. (mm)	Weight (kg)
Card holder	RRI141		A5	
Eutectic plate fresh +3°C - 2 x Cargo -	PE500001	rose	540x325xh57	6,8
Eutectic plate frozen - 21°C - 2 x Cargo -	PE500002	blue	540x325xh57	6,8
Eutectic plate Frozen Plus - 21°C - 2 x Cargo -	PE500908	green	540x325xh57	6,8
USB Data Logger 30°C +70°C	AFG007			
Towing set	SETTR500			
Eutectic plate retainer safety kit	RRI180			
Analog thermometer +40°C- 40°C	RRI165			