



ATP



Insulated container for the transport of products at temperature-controlled







- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- ATP certification
- Compatible with food contact
- Colour: grey/blue
- Capacity: 600 litres.
- Technology: roto moulding
- Warranty: 24 months
- Fully recyclable at the end of its operating life.

MANUFACTURING MATERIALS


Polyethylene	inner and outer walls of the container and door; Suitable for food contact	Polyurethane	Insulating material inside the walls and door, CFC and HCFC free
Silicone rubber	Gasket	Galvanized steel	Hinge rods, hinge rod connection plates, wheel support, feet
Stainless steel	Handling and closing handles, inner door rod		

Model	Code	EAN Code	External dim. (mm)	Internal dim. (mm)	Litres	Weight (Kg)
Cargo 600 basic	06000001	8022949193409	1050x1180xh1000	810x965xh765	600	95
Cargo 600 wheels	06000002	8022949211240	1050x1180xh1165	810x965xh765	600	101
Cargo 600 feet	06000003	8022949211226	1050x1180xh1100	810x965xh765	600	101

PRODUCT FEATURES

	<p>Stainless steel closing handle with release button; Prepared for the use of an anti-tampering system</p>		<p>Stainless steel rod with 2 hooks integrated into the door</p>
	<p>Eutectic plates to increase thermal maintenance performance over time (on request).</p>		<p>3 housing slots of grids positioned at 240/410/585mm from the bottom of the container.</p>
	<p>RFID systems for traceability</p>		<p>USB data logger available (on request) to record temperature data during transport</p>

TECHNICAL DATA (mm)



ACCESSORIES				
Model	Code	Color	External dim. (mm)	Weight (kg)
Floor/vehicle container fixing kit (for basic version)	RRI223			
Stainless steel grid	AEA047		838x950xh16	6
Card holder	RRI141		A5	
Eutectic plate Fresh +3°C - 2 x Cargo -	PE600001	rose	480x800xh50	12
Eutectic plate Frozen - 21°C - 2 x Cargo -	PE600002	blue	480x800xh50	12
Eutectic plate Frozen plus - 21°C - 2 x Cargo -	PE600003	green	480x800xh50	12
USB Data Logger Range -30°C +70°C	AFG007		80x33xh14	
Eutectic plate retainer safety kit	RRI180			
Analog thermometer +40°C- 40°C	RRI165			