



GN 1/1



Insulated container top opening for the transport of products at controlled temperature







- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 39231090
- Compatible with food contact
- Color: grey/blue, red, blue
- Capacity: 39 liters.
- Technology: roto moulding
- Warranty: 24 months
- Fully recyclable at the end of its operational life.
- Stackable and easy to handle

MANUFACTURING MATERIALS

Polyethylene	inner and outer walls of the container and lid; suitable for food contact	Polyurethane	insulating material between the walls of the container and the lid; CFC and HCFC free
Silicone rubber	gasket	Stainless steel	grip handles, closures
Acetal resin POM	handle covers		

Model	Code	EAN code	Ext. dim. (mm)	Int. dim. (mm)	Capacity l	Weight Kg
GN 1/1 grey/blue	GN110006	8022949014735	415x660xh300	330x535xh205	39	7,4
GN 1/1 blue	GN110001	8022949005337				
GN 1/1 red	GN110004	8022949014711				

PRODUCT FEATURES

	<p>It can carry GN1/1 h200 pans and submultiples.</p> <p>Example:</p> <ul style="list-style-type: none"> • 1 GN 1/1; • 2 GN 1/2; • 3 GN 1/3; • 4 GN 1/4; • 6 GN 1/6; • 1 GN 1/2 + 2 GN 1/4; • 1 GN 1/3 + 4 GN 1/6; • 2 GN 1/3+ 2 GN 1/6; 		<p>Container granted for use from -30° C to +100°C.</p>
	<p>Stainless steel grip handles with handle cover.</p>		<p>Stainless steel closing hooks</p>
	<p>Adjustable vent valve.</p>		<p>Maxidolly Cart:</p> <ul style="list-style-type: none"> • capacity 150 Kg; • 4 rubber wheels anti-marking and PP core; • diam wheels: 100 mm; • 2 fixed wheels; • 2 swivel wheels. <p>Available with chromed handle , stainless steel handle or without handle.</p>

ACCESSORIES

Model	Code	Color	Ext. dim. (mm)	Int. dim. (mm)	Weight (Kg)
Maxidolly Cart chrome handle	MAXI0012	grey/blue	525x750xh965	400X600	9,4
Maxidolly Cart stainless steel handle	MAXI0011	grey/blue	525x750xh965	400X600	9,4
Maxidolly Cart without handle	MAXI9002	grey/blue	525x750xh210	400X600	7

TECHNICAL DATA (mm)

